










M.7- Stromwandler und Nebenwiderstände







Stromwandler Series TC

| Typ | TC 4 | | | | TC 5 | | | | TC 5.2 | | | |
|---|---|-----|------|------------|--|------|------|------------|---|------|-----|------------|
|  |  | | | |  | | | |  | | | |
| Schlenengröße (mm) | 30 x 10 20 x 10 25 x 5 | | | | 20 x 10 25 x 5 15 x 5 | | | | 20 x 12 25 x 10 30 x 10 | | | |
| A | Klasse | | | Code | Klasse | | | Code | Klasse | | | Code |
| | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | |
| 40/5 | | | | | | | 1,5 | [*] M70311 | | | | |
| 50/5 | - | - | 1 | [*] M703D5 | - | - | 3 | [*] M70312 | | | | |
| 60/5 | - | - | 1,25 | [*] M703D6 | - | 1,25 | 3,5 | [*] M70313 | | | | |
| 75/5 | - | - | 1,25 | [*] M703D7 | - | 2 | 3,5 | [*] M70314 | | | | |
| 100/5 | - | 2,0 | 3 | [*] M703D8 | 1,5 | 2,5 | 3,75 | [*] M70315 | - | 1 | 1,5 | [c] M70321 |
| 125/5 | - | 2,5 | 3,75 | [*] M703D9 | 1,75 | 3,5 | 5 | [*] M70316 | - | 1,5 | 2 | [*] M70322 |
| 150/5 | 1,5 | 2,5 | 4 | [*] M703DA | 2,5 | 3,5 | 5 | [*] M70317 | 1 | 2 | 2,5 | [*] M70323 |
| 200/5 | 2,5 | 5 | 6 | [*] M703DB | 3,75 | 5 | 5 | [*] M70318 | 2,5 | 3 | 3,5 | [*] M70324 |
| 250/5 | | | | | 5 | 7,5 | 7,5 | [*] M70319 | 3,5 | 3,75 | 5 | [*] M70325 |
| 300/5 | | | | | | | | | 3,5 | 3,75 | 5 | [*] M70326 |
| 400/5 | | | | | | | | | 3,5 | 5 | 7,5 | [*] M70327 |
| 500/5 | | | | | | | | | 5 | 7,5 | 10 | [*] M70328 |
| 600/5 | | | | | | | | | 5 | 7,5 | 10 | [*] M70329 |

Lieferzeit: [*] sofort
[x] Arbeitswochen
[c] auf Anfrage

| Type | TC 6.2 | | | | TC 6 | | | | TC 8.3 | | | | | | |
|--|---|------|-----|------------|---|-----|-----|------------|---|------|-----|------------|---|--------|------|
|  |  | | | |  | | | |  | | | | | | |
| Schienengröße (mm) | 20 x 20 25 x 12 30 x 10 | | | | 30 x 15 20 x 10 40 x 10 | | | | 20 x 10 30 x 25 40 x 10 | | | | | | |
| A | V-A | | | Klasse | Code | V-A | | | Klasse | Code | V-A | | | Klasse | Code |
| | 0,5 | 1 | 3 | | | 0,5 | 1 | 3 | | | 0,5 | 1 | 3 | | |
| 100/5 | 1,75 | 3,75 | 7,5 | [*] M70341 | | | | | | | | | | | |
| 125/5 | 3,75 | 7,5 | 10 | [*] M70342 | | | | | | | | | | | |
| 150/5 | 5 | 7,5 | 10 | [*] M70343 | 1 | 3,5 | 5 | [*] M70331 | | | | | | | |
| 200/5 | 7,5 | 10 | 10 | [*] M70344 | 3,5 | 5 | 7,5 | [*] M70332 | 15 | 20 | 25 | [c] M703B2 | | | |
| 250/5 | 7,5 | 10 | 15 | [*] M70345 | 5 | 7,5 | 10 | [*] M70333 | 10 | 15 | 20 | [c] M703B1 | | | |
| 300/5 | 10 | 10 | 15 | [*] M70346 | 5 | 7,5 | 10 | [*] M70334 | 15 | 20 | 25 | [c] M703B3 | | | |
| 400/5 | 10 | 10 | 15 | [*] M70347 | 5 | 7,5 | 10 | [*] M70335 | 15 | 20 | 25 | [*] M703B4 | | | |
| 500/5 | 15 | 15 | 20 | [*] M70348 | 7,5 | 10 | 15 | [*] M70336 | 15 | 20 | 25 | [*] M703B5 | | | |
| 600/5 | 15 | 20 | 25 | [*] M70349 | 7,5 | 10 | 15 | [*] M70337 | 15 | 20 | 25 | [*] M703B6 | | | |
| 750/5 | | | | | 10 | 15 | 20 | [*] M70338 | 20 | 25 | 30 | [*] M703B7 | | | |
| 800/5 | | | | | 10 | 15 | 20 | [*] M70339 | 25 | 30 | 35 | [*] M703B8 | | | |
| 1 000/5 | | | | | | | | | 25 | 30 | 35 | [*] M703B9 | | | |

| Typ | TC 8 | | | | TC 10 | | | | TC 12 | | | | | | |
|--|--|-----|-----|------------|--|-----|-----|------------|--|------|-----|------------|---|--------|------|
|  |  | | | |  | | | |  | | | | | | |
| Schienengröße (mm) | 50 x 30 60 x 12 | | | | 50 x 50 60 x 30 80 x 30 | | | | 3 x 100 x 10 | | | | | | |
| A | V-A | | | Klasse | Code | V-A | | | Klasse | Code | V-A | | | Klasse | Code |
| | 0,5 | 1 | 3 | | | 0,5 | 1 | 3 | | | 0,5 | 1 | 3 | | |
| 200/5 | 1 | 2,5 | 5 | [*] M7036C | 1 | 2,5 | 5 | [c] M7037F | | | | | | | |
| 300/5 | 2,5 | 5 | 7,5 | [*] M7036B | 2,5 | 5 | 7,5 | [c] M7037D | | | | | | | |
| 400/5 | 5 | 7,5 | 10 | [*] M70361 | | | | | | | | | | | |
| 500/5 | 7,5 | 10 | 15 | [*] M70362 | 5 | 7,5 | 10 | [c] M7037B | | | | | | | |
| 600/5 | 10 | 15 | 20 | [*] M70363 | 7,5 | 10 | 15 | [c] M7037C | | | | | | | |
| 750/5 | 15 | 20 | 25 | [*] M70364 | | | | | | | | | | | |
| 800/5 | 15 | 20 | 30 | [*] M70365 | 7,5 | 10 | 15 | [c] M70372 | 10 | 15 | 20 | [c] M7038B | | | |
| 1 000/5 | 15 | 20 | 30 | [*] M70366 | 10 | 15 | 20 | [*] M70373 | 10 | 15 | 20 | [c] M70381 | | | |
| 1 200/5 | 15 | 20 | 30 | [*] M70367 | 10 | 15 | 20 | [*] M70374 | 10 | 15 | 20 | [c] M70382 | | | |
| 1 250/5 | 15 | 20 | 30 | [*] M7036A | 10 | 15 | 20 | [c] M7037E | 10 | 15 | 20 | [c] M7038D | | | |
| 1 500/5 | 15 | 20 | 30 | [*] M70368 | 15 | 20 | 25 | [*] M70375 | 15 | 20 | 30 | [*] M70383 | | | |
| 1 600/5 | 15 | 20 | 30 | [*] M70369 | 15 | 20 | 25 | [*] M70376 | 15 | 20 | 30 | [*] M70384 | | | |
| 2 000/5 | | | | | 15 | 20 | 25 | [*] M70377 | 15 | 20 | 30 | [*] M70385 | | | |
| 2 500/5 | | | | | 15 | 20 | 30 | [*] M70378 | 20 | 30 | 40 | [*] M70386 | | | |
| 3 000/5 | | | | | 15 | 20 | 30 | [*] M70379 | 30 | 40 | 60 | [*] M70387 | | | |
| 3 200/5 | | | | | | | | | 30 | 40 | 60 | [c] M7038C | | | |
| 4 000/5 | | | | | | | | | 35 | 40 | 60 | [*] M70388 | | | |





Zubehör




| Typ | Code |
|---|------------|
| Klemmenabdeckung | [*] M79951 |
| Befestigungssatz für DIN-Schienenmontage Typ PA-TC/WG | [*] P19921 |

Anderes Zubehör siehe am Ende von Kapitel M 7

Lieferzeit: [*] sofort
[x] Arbeitswochen
folgt auf Anfrage

Stromwandler Series TCH

| Typ | TCH 6.2 | TCH 6 | TCH 8 | | | | | | | | | |
|---|---|--|---|------------|--------|------|------|------------|--------|-----|------|------------|
|  |  |  |  | | | | | | | | | |
| Schienengröße (mm) | 30 x 10 | 40 x 10 | 60 x 12 | | | | | | | | | |
| V-A | Klasse | | | Code | Klasse | | | Code | Klasse | | | Code |
| | 0,2S | 0,2 | 0,5S | | 0,2S | 0,2 | 0,5S | | 0,2S | 0,2 | 0,5S | |
| A | | | | | | | | | | | | |
| 50/5 | | 0,5 | | [c] M7044B | | | | | | | | |
| 60/5 | | 0,5 | | [c] M7044C | | | | | | | | |
| 100/5 | 1 | 1,5 | 2,5 | [2] M70441 | | | | | | | | |
| 150/5 | 2,5 | 3,5 | 3,5 | [2] M70443 | 1 | 1,25 | 1,5 | [2] M70431 | | | | |
| 200/5 | 3,5 | 5 | 5 | [2] M70444 | 1,25 | 1,5 | 2 | [2] M70432 | | | | |
| 250/5 | 5 | 5 | 5 | [2] M70445 | 1,5 | 1,75 | 2,25 | [2] M70433 | | | | |
| 300/5 | 5 | 5 | 5 | [2] M70446 | 1,75 | 2 | 2,5 | [2] M70434 | | | | |
| 400/5 | 7,5 | 7,5 | 7,5 | [2] M70447 | 1 | 5 | 5 | [2] M70435 | | | | |
| 500/5 | | | | | 5 | 7,5 | 7,5 | [2] M70436 | | | | |
| 600/5 | | | | | 5 | 7,5 | 7,5 | [2] M70437 | 5 | 10 | 10 | [2] M70463 |
| 750/5 | | | | | 7,5 | 10 | 10 | [2] M70438 | 7,5 | 10 | 10 | [2] M70464 |
| 800/5 | | | | | 7,5 | 10 | 10 | [2] M70439 | 7,5 | 10 | 10 | [2] M70465 |
| 1 000/5 | | | | | | | | | 10 | 15 | 15 | [2] M70466 |
| 1 200/5 | | | | | | | | | 10 | 15 | 15 | [2] M70467 |
| 1 250/5 | | | | | | | | | 10 | 15 | 15 | [c] M7046A |
| 1 500/5 | | | | | | | | | 10 | 15 | 15 | [2] M70468 |
| 1 600/5 | | | | | | | | | 10 | 15 | 15 | [2] M70469 |
| 1 500/5 | | | | | | | | | 10 | 15 | 15 | [2] M70468 |
| 1 600/5 | | | | | | | | | 10 | 15 | 15 | [2] M70469 |

| Typ | TCH 10 | TCH 12 | | | | | | |
|---|---|--|------|------------|--------|-----|------|------------|
|  |  |  | | | | | | |
| Schienengröße (mm) | 50 x 50 60 x 30 80 x 30 | 3 x 100 x 10 | | | | | | |
| V-A | Klasse | | | Code | Klasse | | | Code |
| | 0,2S | 0,2 | 0,5S | | 0,2S | 0,2 | 0,5S | |
| A | | | | | | | | |
| 800/5 | 7,5 | 10 | 10 | [c] M70472 | | | | |
| 1 000/5 | 7,5 | 10 | 10 | [2] M70473 | | | | |
| 1 200/5 | 10 | 10 | 10 | [2] M70474 | | | | |
| 1 500/5 | 10 | 10 | 15 | [2] M70475 | 10 | 15 | 15 | [2] M70483 |
| 1 600/5 | 10 | 10 | 15 | [2] M70476 | 10 | 15 | 15 | [2] M70484 |
| 2 000/5 | 10 | 10 | 15 | [2] M70477 | 10 | 15 | 15 | [2] M70485 |
| 2 500/5 | 10 | 10 | 15 | [2] M70478 | 15 | 20 | 20 | [2] M70486 |
| 3 000/5 | 10 | 10 | 15 | [2] M70479 | 20 | 25 | 25 | [2] M70487 |
| 3 200/5 | | | | | 20 | 25 | 25 | [c] M7048B |
| 4 000/5 | | | | | 25 | 30 | 30 | [2] M70488 |

Anderes Zubehör siehe am Ende von Kapitel M 7

Lieferzeit: [*] sofort
[x] Arbeitswochen
Tel. und Adresse

Stromwandler Series TA, TM, TW



| Typ | TA 400 | TA 500 | TA 600 |
|--------------------|-------------|-------------|-------------|
| Schienengröße (mm) | 100 x 20 mm | 100 x 30 mm | 125 x 60 mm |
| | 165 | 85 | 196 |
| | 95 | 115 | 124 |
| | 59 | 63 | 62 |

| V-A | Klasse | | | Code | Klasse | | | Code | Klasse | | | Code |
|---------|--------|----|----|------------|--------|----|----|------------|--------|----|----|------------|
| | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | |
| A | | | | | | | | | | | | |
| 300/5 | 5 | 10 | 15 | [c] M7059A | | | | | | | | |
| 400/5 | 5 | 10 | 15 | [c] M70591 | | | | | | | | |
| 500/5 | 15 | 20 | 30 | [c] M70592 | | | | | | | | |
| 600/5 | 15 | 20 | 30 | [c] M70593 | | | | | | | | |
| 750/5 | 15 | 20 | 30 | [*] M70594 | | | | | | | | |
| 800/5 | 15 | 20 | 30 | [*] M70595 | | | | | 15 | 15 | | [c] M705BB |
| 1 000/5 | 15 | 20 | 30 | [*] M70596 | 15 | 20 | 30 | [c] M705A2 | 15 | 20 | 30 | [*] M705B1 |
| 1 200/5 | 15 | 20 | 30 | [*] M70597 | 15 | 20 | 30 | [c] M705A3 | 15 | 20 | 30 | [c] M705B2 |
| 1 500/5 | 15 | 30 | 40 | [*] M70598 | 15 | 30 | 40 | [*] M705A4 | 15 | 20 | 30 | [*] M705B3 |
| 2 000/5 | 20 | 40 | 50 | [*] M70599 | 20 | 40 | 50 | [*] M705A6 | 15 | 20 | 30 | [*] M705B5 |
| 2 500/5 | | | | | 20 | 40 | 50 | [*] M705A7 | 20 | 30 | 40 | [*] M705B6 |
| 3 000/5 | | | | | 20 | 45 | 60 | [*] M705A8 | 30 | 40 | 60 | [*] M705B7 |
| 3 200/5 | | | | | | | | | 30 | 40 | 60 | [c] M705BA |
| 4 000/5 | | | | | 35 | 50 | 70 | [*] M705A9 | 35 | 50 | 70 | [*] M705B8 |
| 5 000/5 | | | | | | | | | 40 | 60 | 80 | [*] M705B9 |




| Typ | TM 45 | TA 210 (*) | TW 25 / TW 25M |
|----------|---------------|---------------|-----------------------|
| Innen- Ø | Primärschiene | Primärschiene | Aufsteckschiene 25 |
| | 85 | 104,5 | 85 |
| | 52,5 | 75 | 70 |
| | 70 | 134 | 70 |

| V-A | Klasse | | | Code | Klasse | | | Code | Klasse | | | Code |
|-----------------------------|--|---|---|------------|--------|----|----|------------|--------|-----|------------|------------|
| | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | |
| A | | | | | | | | | | | | |
| 1/5 | 2,5 | 5 | 7 | [c] M70609 | | | | | | | | |
| 5/5 | 2,5 | 5 | 7 | [*] M70601 | 15 | 20 | 30 | [*] M70541 | | | | |
| 10/5 | 2,5 | 5 | 7 | [*] M70602 | 15 | 20 | 30 | [*] M70542 | | | | |
| 15/5 | 2,5 | 5 | 7 | [*] M70603 | 15 | 20 | 30 | [*] M70543 | | | | |
| 20/5 | 2,5 | 5 | 7 | [*] M70604 | 15 | 20 | 30 | [*] M70544 | | | | |
| 25/5 | 2,5 | 5 | 7 | [*] M70605 | 15 | 20 | 30 | [*] M70545 | | | | |
| 30/5 | 2,5 | 5 | 7 | [*] M70606 | 15 | 20 | 30 | [*] M70546 | | | | |
| 40/5 | 2,5 | 5 | 7 | [*] M70607 | 15 | 20 | 30 | [*] M70547 | | | | |
| 50/5 | 2,5 | 5 | 7 | [*] M70608 | 15 | 20 | 30 | [*] M70548 | | | | |
| 60/5 | | | | | 15 | 20 | 30 | [*] M70549 | | | | |
| 75/5 | | | | | 15 | 20 | 30 | [*] M7054A | | | | |
| 100/5 | | | | | 15 | 20 | 30 | [*] M7054B | - | 1,5 | 3 | [*] M70611 |
| 125/5 | | | | | 15 | 20 | 30 | [*] M7054C | - | 2 | 4 | [*] M70612 |
| 150/5 | | | | | 15 | 20 | 30 | [*] M7054D | - | 3 | 5 | [*] M70613 |
| 200/5 | | | | | 15 | 20 | 30 | [*] M7054E | 3 | 6 | 8 | [*] M70614 |
| 250/5 | | | | | 15 | 20 | 30 | [*] M7054F | 4 | 9 | 11 | [*] M70615 |
| 300/5 | | | | | 15 | 20 | 30 | [*] M7054G | 6 | 11 | 13 | [*] M70616 |
| 400/5 | | | | | 15 | 20 | 30 | [*] M7054H | | | | |
| 100 / 125 / 200 / 250 / 500 | TW 25 M (Mehrfachanschluss, 6 Ströme) | | | | | | | wie TW 25 | | | [*] M70621 | |

(*) Plombierbare Klemmenabdeckung und Bodenbefestigung enthalten

Lieferzeit: [*] sofort
[x] Arbeitswochen
(ca. in Arbeit)

TP series, split core

| Typ | TP-23 | | | TP-58 | | | TP-88 | | | | | |
|---|------------|-----|-----|------------|--------|----|------------|------------|--------|-----|------|------------|
| Schienengröße (mm) | 20 x 30 mm | | | 50 x 80 mm | | | 80 x 80 mm | | | | | |
|  | a | b | c | 110 | 89 | 58 | 145 | 114 | 50 | 145 | 144 | 50 |
| V·A | Klasse | | | Code | Klasse | | | Code | Klasse | | | Code |
| A | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | |
| 50/5 | - | - | 1,5 | [c] M7011A | | | | | | | | |
| 75/5 | - | - | 1,5 | [c] M70117 | | | | | | | | |
| 100/5 | - | - | 1,5 | [*] M70111 | - | - | 2 | [c] M7012D | | | | |
| 125/5 | - | - | 1,5 | [c] M70118 | | | | | | | | |
| 150/5 | - | - | 2 | [*] M70112 | - | - | 3 | [c] M7012A | | | | |
| 200/5 | - | 1,5 | 2,5 | [*] M70113 | - | - | 3 | [c] M7012B | | | | |
| 250/5 | - | 2 | 4 | [*] M70114 | - | 2 | 4 | [*] M70121 | 1 | 2 | 4 | [*] M70131 |
| 300/5 | 1,5 | 4 | 6 | [*] M70115 | 1,5 | 3 | 6 | [*] M70122 | 1,5 | 3 | 6 | [*] M70132 |
| 400/5 | 2,5 | 6 | 10 | [*] M70116 | 1,5 | 3 | 10 | [*] M70123 | 1,5 | 3 | 10 | [*] M70133 |
| 500/5 | | | | | 2,5 | 5 | 15 | [*] M70124 | 2,5 | 5 | 15 | [*] M70134 |
| 600/5 | | | | | 2,5 | 5 | 17,5 | [*] M70125 | 2,5 | 5 | 17,5 | [*] M70135 |
| 700/5 | | | | | 2,5 | - | - | [c] M7012C | | | | |
| 750/5 | | | | | 3 | 6 | 18 | [*] M70126 | 3 | 6 | 18 | [*] M70136 |
| 800/5 | | | | | 3 | 7 | 18 | [*] M70127 | 3 | 7 | 18 | [*] M70137 |
| 1 000/5 | | | | | 5 | 10 | 20 | [*] M70128 | 5 | 10 | 20 | [*] M70138 |

| Type | TP-812 | | | TP-816 | | | | | |
|---|-------------|----|----|-------------|--------|----|-----|------------|----|
| Schienengröße (mm) | 80 x 120 mm | | | 80 x 160 mm | | | | | |
|  | a | b | c | 185 | 144 | 50 | 245 | 184 | 70 |
| V·A | Klasse | | | Code | Klasse | | | Code | |
| A | 0,5 | 1 | 3 | | 0,5 | 1 | 3 | | |
| 500/5 | - | 4 | 12 | [*] M70141 | 3 | - | - | [c] M7015F | |
| 600/5 | - | 5 | 14 | [*] M70142 | | | | | |
| 750/5 | 2,5 | 6 | 17 | [*] M70143 | 5 | - | - | [c] M70158 | |
| 800/5 | 3 | 7 | 18 | [*] M70144 | | | | | |
| 1 000/5 | 5 | 9 | 20 | [*] M70145 | 10 | 15 | 20 | [*] M70151 | |
| 1 200/5 | 6 | 11 | 24 | [*] M70146 | | | | | |
| 1 250/5 | 7 | 15 | 28 | [*] M70147 | 8 | - | - | [c] M7015A | |
| 1 500/5 | 8 | 17 | 30 | [*] M70148 | 15 | 20 | 25 | [*] M70152 | |
| 2 000/5 | | | | | 15 | 20 | 25 | [*] M70153 | |
| 2 500/5 | | | | | 15 | 20 | 25 | [*] M70154 | |
| 3 000/5 | | | | | 20 | 25 | 30 | [*] M70155 | |
| 3 200/5 | | | | | 20 | - | - | [c] M7015C | |
| 4 000/5 | | | | | 20 | 25 | 30 | [*] M70156 | |
| 5 000/5 | | | | | 20 | 25 | 30 | [*] M70157 | |
| 6 000/5 | | | | | 20 | - | - | [c] M7015E | |

Zubehör

| Typ | Code |
|---|------------|
| TET TP-58, Schutzabdeckung für Serie TP | [*] M79972 |
| TET TP-88/812, Schutzabdeckung für Serie TP | [*] M79973 |
| TET TP-816, Schutzabdeckung für Serie TP | [*] M79974 |

Anderes Zubehör siehe am Ende von Kapitel M 7

Stromwandler mit eingebautem Messwertumformer 4 ... 20 mA

| Typ | TC 420 | | | TC 020 | |
|--------------------|--|------------|------------|-------------------|------------|
| | TC 5 420 | TC 6 420 | TC 8 420 | TC 6 020A | TC 8 020A |
| Innen- Ø | 20 | 28 | 44 | 28 | 44 |
| Schienengröße (mm) | 25 x 5 | 40 x 10 | 60 x 12 | 40 x 10 | 60 x 12 |
| a | 70 | 80,5 | 102 | 80,5 | 102 |
| b | 58 | 64 | 84,5 | 64 | 84,5 |
| c | 32 | 44 | 50 | 44 | 50 |
| A | Ausgang 4...20 mA, Hilfsspannung 7,5...36 V DC | | | Ausgang 0...20 mA | |
| 5 | [1] M72112 | | | | |
| 10 | [1] M72113 | | | | |
| 20 | [1] M72114 | | | | |
| 50 | | [1] M72131 | | [1] M72031 | |
| 100 | | [1] M72132 | | [1] M72032 | |
| 200 | | [1] M72134 | | [1] M72034 | |
| 300 | | [1] M72136 | | [1] M72036 | |
| 500 | | | [1] M72151 | | [1] M72051 |
| 1 000 | | | [1] M72152 | | [1] M72052 |
| 1 500 | | | [1] M72153 | | [1] M72053 |

Für höhere Ströme bitte einen Stromwandler mit getrennten Messwertumformer einsetzen

| Typ | TI-420 | | TP-420 | | TCM-420 | | TCB-420 | | | | | | |
|--|--|-----------|-----------|-----------|-----------|-----------|-----------|--|-----------|-----------|-----------|-----------|-----------|
| | 35 | 70 | 105 | 23 | 58 | 88 | 812 | 816 | 25 (*) | 35 (*) | 35 | 70 | 105 |
| Innen- Ø / Schie- nengröße (mm) | 35 | 70 | 105 | 20 x 30 | 50 x 80 | 80 x 80 | 80 x 120 | 80 x 160 | 25 | 35 | 35 | 70 | 105 |
| a | 79 | 110 | 146 | 110 | 145 | 145 | 185 | 245 | 87 | 87 | 79 | 110 | 146 |
| b | 100 | 130 | 170 | 89 | 114 | 144 | 144 | 184 | 70 | 105 | 166 | 196 | 236 |
| c | 33 | 33 | 33 | 58 | 50 | 50 | 50 | 70 | 70 | 70 | 33 | 33 | |
| A | Ausgang 4...20 mA, Steuerspannung 10...18 V DC | | | | | | | Ausgang 4...20mA (230 V AC Steuerspannung) | | | | | |
| 2,5 | [1]M70811 | | | | | | | | [*]M71041 | | [*]M71011 | | |
| 5 | [1]M70812 | | | [*]M70211 | | | | | [*]M71042 | | [*]M71012 | | |
| 10 | [1]M70813 | | | [*]M70212 | | | | | [*]M71043 | | [*]M71013 | | |
| 20 | [1]M70814 | | | [*]M70213 | | | | | [*]M71044 | | [*]M71014 | | |
| 50 | [1]M70815 | | | [*]M70214 | | | | | [*]M71045 | | [*]M71015 | | |
| 100 | [1]M70816 | [1]M70821 | | [*]M70215 | [*]M70221 | [*]M70231 | | | [*]M71046 | [2]M71054 | [*]M71016 | [1]M71021 | |
| 200 | | | | [*]M70216 | | | | | [*]M71047 | [*]M71055 | | | |
| 250 | [1]M70817 | [1]M70822 | [1]M70831 | [*]M70217 | [*]M70222 | [*]M70232 | [2]M70241 | | | | [*]M71017 | [*]M71022 | [1]M71031 |
| 300 | | | | | | | | | | [2]M71056 | | | |
| 500 | | [1]M70823 | [1]M70832 | [*]M70218 | [*]M70223 | [2]M70233 | [2]M70242 | [2]M70251 | | | | [*]M71023 | [*]M71032 |
| 750 | | [1]M70824 | [1]M70833 | [*]M70224 | [2]M70234 | [2]M70243 | [2]M70252 | | | | | [*]M71024 | [1]M71033 |
| 1 000 | | | [1]M70834 | | | [2]M70235 | [2]M70244 | [2]M70253 | | | | | [1]M71034 |
| 1 500 | | | [1]M70835 | | | [2]M70236 | [2]M70245 | [2]M70254 | | | | | [*]M71035 |
| 2 000 | | | | | | | | [2]M70255 | | | | | |
| 3 000 | | | | | | | | [2]M70256 | | | | | |
| 4 000 | | | | | | | | [2]M70257 | | | | | |

Für höhere Ströme bitte einen Stromwandler mit getrennten Messwertumformer einsetzen

Lieferzeit: [*] sofort
[x] Arbeitswochen
[o] auf Antrag